ELSEVIER

Journal of Magnetism and Magnetic Materials 195 (1999) 795–800

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 195

Abo El Ata, A.M., see El Hiti, M.A. 667
Abreu Hamilton, F.G., A. Braid Adolfo, R. Silva Manuel, M. Neto Julio and R. Teodósio Joel, Magnetic properties of Fe–Mo–5Ni–0.05C alloys with different contents of Mo 107
Abu-Aljarayesh, I., see Said, M.R. 679
Ainane, A., see Bouziane, T. 220
Akther Hossain, A.K.M., L.F. Cohen, T. Kodenkandeth, J. MacManus-Driscoll and N.McN. Alford, Influence of oxygen vacancies on magnetoresistance properties of bulk $La_{0.67}Ca_{0.33}MnO_{3-\delta}$ 31
Alford, N.McN., see Akther Hossain, A.K.M. 31
Alves, K.M.B., see Tribuzy, C.V.B. 49
Amcoff, Ö., see Baron, V. 81
Annaev, R.R., see Antoshina, L.G. 608
Antoshina, L.G., A.N. Goryaga and R.R. Annaev, Magnetization processes of the sample $CoFeCrO_4$ with frustrated magnetic structure 608
Atherton, D.L., see Liorzou, F. 174
Atherton, D.L., see Krause, T.W. 193
Atkinson, D., see Sánchez, M.L. 362
Avvakumov, I.L., see Moskvin, A.S. 759

Babić Stojić, B., Z. Šoškić, M. Stojić and D. Milivojević, Magnetic susceptibility studies of $Zn_{1-x}Fe_xSe$ and $Zn_{1-x}Fe_xS$ 76
Bader, S.D., see You, C.-Y. 488
Bahadur, D., see Rane, M.V. L256
Baier, T., see Granberg, P. 1
Ban, G., see Dupré, L.R. 233
Barinov, V.A., see Yelsukov, E.P. 601
Baron, V., Ö. Amcoff and T. Ericsson, Neutron powder diffraction study of the crystal and magnetic structures of Fe_2SiS_4 81
Bartashevich, M.I., T. Goto, I.S. Dubenko, N.P. Kolmakova, S.A. Kolonogii, R.Z. Levitin and M.Yu. Nekrasova, Ferrimagnet with magnetic instability: influence of susceptibility on magnetization curves 125
Bass, J., see Reilly, A.C. L269
Baszyński, J., J. Kovač and A. Kowalczyk, Exchange interaction between ferromagnetic and antiferromagnetic phases in $La_{1/3}Nd_{1/3}Ca_{1/3}MnO_3$ 93
Beck, E., see Funk, T. 406
Belaaraj, A., see Bouziane, T. 220
Bellad, S.S., S.C. Watawe and B.K. Chougule, Microstructure and permeability studies of mixed Li-Cd ferrites 57
Bellad, S.S., see Shaikh, A.M. 384
Bespyatykh, Yu.I., E.H. Lock, S.A. Nikitov and W. Wasilewski, Phase transitions in uniaxial ferromagnetic film covered by superconducting layers 555
Bhattacharjee, A., R. Feyerherm and M. Steiner, Magnetic properties of oxalate ligand based molecular materials: $NBu_4M(II)[Fe(III)(ox)_3]$, $Bu_4 = n\text{-}(C_4H_9)_4$, M = Co, Cr 336
Bichile, G.K., see Shukla, S.J. 692
Biernacka, M., see Szymański, K. 651
Biondo, A., see Tribuzy, C.V.B. 49
Bobek, C., see Funk, T. 406
Bogdanov, A. and A. Hubert, The stability of vortex- like structures in uniaxial ferromagnets 182
Bordin, G., G. Buttino, A. Cecchetti and M. Poppi, Temperature dependence of magnetic properties of a Co-based alloy in amorphous and nanostructured phase 583
Borowiec, M.T., V. Dyakonov, I. Fita, A. Nabiałek, A. Pavlyuk, A. Szewczyk, H. Szymczak, M. Załęski and E. Zubov, Magnetic structure of ground state of the $KDy(WO_4)_2$ single crystal 119
Bottoni, G., D. Candolfo and A. Cecchetti, The characteristics of the anisotropy field distribution in magnetic recording media 754
Bouziane, T., M. Saber, A. Belaaraj and A. Ainane, The ferromagnetic transverse spin-1/2 Ising superlattice 220
Braid Adolfo, A., see Abreu Hamilton, F.G. 107
Brewer, W.D., see Funk, T. 406
Burkova, L.V., S.G. Ovchinnikov, V.A. Seredkin and V.Yu. Yakovchuk, Study of Kerr effect enhancement in Mn/Dy/Bi 531
Buschow, K.H.J., see Moze, O. 391
Buttino, G., see Bordin, G. 583

Candolfo, D., see Bottoni, G. 754
Canepa, F., S. Cirafici, F. Merlo, M. Pani and C. Ferdeghini, Antiferromagnetism in Gd_2Ni_2Cd 646
Cecchetti, A., see Bordin, G. 583

0304-8853/99/$-see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(99)00416-3

Cecchetti, A., see Bottoni, G. 754
Chaussy, J., see Fominaya, F. L253
Chen, C.A., see Fang, J.S. 588
Chen, Q., see Chen, Z. 420
Chen, Q., see Lu, B. 611
Chen, W., see Zhong, W. 112
Chen, Z., Y. Zhang, Y. Ding, G.C. Hadjipanayis, Q. Chen and B. Ma, Studies on magnetic properties and microstructure of melt-spun nanocomposite $R_8(Fe,Co,Nb)_{86}B_6$ (R = Nd, Pr) magnets 420
Cheng, S.-F., see Rubinstein, M. 299
Chetverikov, V., see Engel, A. 212
Chin, T.S., see Fang, J.S. 588
Chinchure, A.D., S.K. Dhar, R. Nagarajan, V.R. Marathe and L.C. Gupta, Magnetic properties of $R_2Re_2Si_2C$ (R = Ho and Er) 43
Chougule, B.K., see Bellad, S.S. 57
Chougule, B.K., see Shaikh, A.M. 384
Chudnovsky, E.M., see Tejada, J. 476
Cirafici, S., see Canepa, F. 646
Clatterbuck, D.M., R.J. Lange and K.A. Gschneidner Jr., Magneto-optical properties of RMn_6Sn_6 (R = Gd, Tb, Dy, Ho, Er, Tm, Lu) single crystals 639
Cohen, L.F., see Akther Hossain, A.K.M. 31
Crisan, O., J.M. Le Breton, A. Maignan, F. Machizaud, A. Jianu, J. Teillet and G. Filoti, Structural refinement effect on the magnetoresistive properties of annealed melt spun Cu-Co-(Fe-Si) ribbons 428

Date, S.K., see Rane, M.V. L256
De Boer, F.R., see Fuquan, B. 26
De Boer, F.R., see Moze, O. 391
Deng, Z., see Li, J. 470
Dhar, S.K., see Chinchure, A.D. 43
Dieny, B., see Nagamine, L.C.C.M. 437
Ding, W.P., see Zhong, W. 112
Ding, Y., see Chen, Z. 420
Dobrzyński, L., see Szymański, K. 651
Du, Y.W., see Zhong, W. 112
Dubenko, I.S., see Bartashevich, M.I. 125
Dubenko, I.S., I.Yu. Gaidukova, Y. Hosokoshi, K. Inoue and A.S. Markosyan, Concentration and pressure dependence of magnetic ordering in $Y(Mn_{1-x}Me_x)_2$ compounds with Me = Al, Fe and Ni 687
Dupré, L.R., G. Ban, M. Von Rauch and J.A.A. Melkebeek, Relation between the microstructural properties of electrical steels and the Preisach modelling 233
Duran, M., see Tejada, J. 476
Dyakonov, V., see Borowiec, M.T. 119

El Hiti, M.A. and A.M. Abo El Ata, Semiconductivity in $Ba_2Ni_{2-x}Zn_xFe_{12}O_{22}$ Y-type hexaferrites 667
Elfalaky, A., see Mazen, S.A. 148
Engel, A., H. Langer and V. Chetverikov, Non-linear analysis of the surface profile resulting from the one-dimensional Rosensweig instability 212
Ericsson, T., see Baron, V. 81
Estévez-Rams, E., J. Fidler, A. Penton, A. Valor-Reed, J.C. Téllez-Blanco, R. Sato Turtelli and R. Grössinger, Microstructural study of high coercivity $Sm(Co,Cu)_5$ alloy 595

Fähnle, M., see Komelj, M. L275
Fang, J.S., T.S. Chin, J.C. Shih, C.A. Chen and S.W. Yung, The AC-initial susceptibility as a measure of exchange coupling in two-phase nano-structured NdFeCuNbB magnet alloys 588
Fedorov, G.E., see Lagutin, A.S. 97
Ferdeghini, C., see Canepa, F. 646
Feyerherm, R., see Bhattacharjee, A. 336
Fidler, J., see Estévez-Rams, E. 595
Filoti, G., see Crisan, O. 428
Fischer, S.F., M. Kelsch and H. Kronmüller, Optimization of magnetostriction, coercive field and magnetic transition temperature in nanocrystalline TbDyFe + Zr/Nb multilayers 545
Fita, I., see Borowiec, M.T. 119
Fominaya, F., P. Gandit, G. Gaudin, J. Chaussy, R. Sessoli and C. Sangregorio, Heat capacity anomalies in Fe_8 single crystal L253
Fujiwara, N., see Samata, H. 376
Funk, T., E. Beck, W.D. Brewer, C. Bobek and E. Klein, Systematics of the nuclear spin-lattice relaxation rates of transition-element impurities in Fe 406
Fuquan, B., J.-L. Wang, J.-F. Shi, C.-P. Yang, F.-M. Yang, N. Tang and F.R. de Boer, Influence on magnetic properties of substitution of Co for Fe in $TbFe_{11.3}Nb_{0.7}$ 26
Furusaka, M., see Sato, T. 345

Gaidukova, I.Yu., see Dubenko, I.S. 687
Gajbhiye, N.S., see Panda, R.N. 396
Gan, L.-M., see Liu, X. 452
Gandit, P., see Fominaya, F. L253
Gao, R.W. and D.H. Zhang, Comparison of the texture functions describing the grain alignment in NdFeB magnets 168
Gaudin, G., see Fominaya, F. L253
Gerdes, M., see Reehuis, M. 657
Goryaga, A.N., see Antoshina, L.G. 608
Goto, T., see Bartashevich, M.I. 125
Granberg, P., P. Isberg, T. Baier, B. Hjörvarsson and P. Nordblad, Anisotropic behaviour of the magnetoresistance in single crystalline iron films 1
Grössinger, R., see Estévez-Rams, E. 595
Grotheer, O., see Komelj, M. L275
Gschneidner Jr., K.A., see Clatterbuck, D.M. 639
Gu, B.X., B.G. Shen and H.R. Zhai, Low-temperature magnetic properties and susceptibility of amorphous $Nd_4Fe_{58.1}Cr_{19.4}B_{18.5}$ alloys 605
Guimarães, A.P., see Tribuzy, C.V.B. 49
Gupta, L.C., see Chinchure, A.D. 43
Guyot, M., see Schmool, D.S. 291

Hadjipanayis, G.C., see Chen, Z. 420
Hadjipanayis, G.C., see Liu, J.F. 620
Hamada, K., see Ishida, I. 307
Hamam, Y.A., see Said, M.R. 679
Hayashi, T., see Ishida, I. 307
Herlach, F., see Lagutin, A.S. 97
Hernandez, J.M., see Tejada, J. 476
Hjörvarsson, B., see Granberg, P. 1
Hosokoshi, Y., see Dubenko, I.S. 687
Hota, R.L., see Tripathi, G.S. 745
Hu, A., see Zhong, W. 112
Huang, M.Q., see Lu, B. 611
Hubert, A., see Bogdanov, A. 182
Hur, J., see Kim, Y.B. 741

Idogaki, T., see Muraoka, Y. 156
Inoue, K., see Dubenko, I.S. 687
Isberg, P., see Granberg, P. 1
Ishida, I., T. Hayashi, K. Tsuchiya, S. Nishihara, K. Hamada, H. Watanabe, T. Nagaoka and Y. Matsuda, Magnetic anomalies and structures in Ni/Mn multilayers 307

Jadhav, K.M., see Shukla, S.J. 692
James, R.D., see Tickle, R. 627
Jeitschko, W., see Reehuis, M. 657
Jezierski, A. and A. Ślebarski, Band structure of tetragonal and monoclinic $CeNi_2Sn_2$ compounds 460
Jiang, Q., X.-f. Jiang and Z.-y. Li, Effect of single-ion uniaxial anisotropy on the phase diagrams of magnetic system in the presence of internal spin fluctuation 501
Jiang, X.-f., see Jiang, Q. 501
Jianu, A., see Crisan, O. 428
Jin, H., see Kim, Y.B. 793

Kai, T. and K. Shiiki, Influence of spin-dependent scattering at rough interface on the giant magnetoresistance in magnetic multilayers 537
Kasuya, T., Photoluminescence and absorption mechanisms in Eu monochalcogenides 141
Keller, N., see Schmool, D.S. 291
Kelsch, M., see Fischer, S.F. 545
Kennedy, R.J. and P.A. Stampe, Fe_3O_4 films grown by laser ablation on mica with and without MgO buffer layers 284
Kim, M.J., see Kim, Y.B. 741
Kim, M.J., see Kim, Y.B. 793
Kim, T.K., see Kim, Y.B. 741
Kim, T.K., see Kim, Y.B. 793
Kim, Y.B., M.J. Kim, J. Hur and T.K. Kim, Effects of powder alignment on determination error of spin reorientation angle of cone anisotropy 741
Kim, Y.B., M.J. Kim, H. Jin and T.K. Kim, Erratum to 'Spin reorientation and magnetocrystalline anisotropy of $(Nd_{1-x}Pr_x)_2Fe_{14}B$' 793
Klein, E., see Funk, T. 406
Kockelmann, W., see Moze, O. 391
Kodenkandeth, T., see Akther Hossain, A.K.M. 31
Kolmakova, N.P., see Bartashevich, M.I. 125
Kolonogii, S.A., see Bartashevich, M.I. 125
Komelj, M., O. Grotheer and M. Fähnle, Pressure dependence of the isomer shifts in Gd_2Fe_{17}: An ab initio calculation L275
Kong, Y., J. Pelzl and F. Li, A first-principle study of N-neighbor influence on electronic structure and magnetic properties of Fe 483
Konno, T.J., K. Shoji, K. Sumiyama and K. Suzuki, Structure and magnetic properties of co-sputtered Co–C thin films 9
Konygin, G.N., see Yelsukov, E.P. 601
Kovač, J., see Baszyński, J. 93
Kowalczyk, A., see Baszyński, J. 93
Kraus, L., Theory of giant magneto-impedance in the planar conductor with uniaxial magnetic anisotropy 764
Krause, T.W., K. Mandal and D.L. Atherton, Modeling of magnetic Barkhausen noise in single and dual easy axis systems in steel 193
Krishnan, R., see Schmool, D.S. 291
Kronmüller, H., see Fischer, S.F. 545
Krotenko, E., see Tejada, J. 476
Kulkarni, S.D., see Rane, M.V. L256
Kuznietz, M., see Takeya, H. 366

Lagutin, A.S., G.E. Fedorov, J. Vanacken and F. Herlach, Magnetic properties of dysprosium–ittrium ferrite-garnets in pulsed magnetic fields at low temperatures 97
Lan, M.D., see Samata, H. 376
Lange, R.J., see Clatterbuck, D.M. 639
Langer, H., see Engel, A. 212
Larica, C., see Tribuzy, C.V.B. 49
Laughlin, D.E., see Lu, B. 611
Le Breton, J.M., see Crisan, O. 428
Le Gall, H., see Sbiaa, R. 520
Levitin, R.Z., see Bartashevich, M.I. 125
Li, F., see Kong, Y. 483
Li, J., C. Liu, B. Zhao, Y. Lin and Z. Deng, Structures and properties of Fe–C fine particles prepared by AC arc discharge 470
Li, Z.-y., see Jiang, Q. 501
Lin, Y., see Li, J. 470
Liorzou, F. and D.L. Atherton, Effects of compressive stress on a steel cube using tensor magnetization and magnetostriction analysis 174
Liu, C., see Li, J. 470
Liu, G.-q., see Wu, B.-j. 206
Liu, J.F. and G.C. Hadjipanayis, Demagnetization curves and coercivity mechanism in $Sm(CoFeCuZr)_z$ magnets 620
Liu, J.P., see Moze, O. 391
Liu, W. and P.G. McCormick, Synthesis of Sm_2Co_{17} alloy nanoparticles by mechanochemical processing L279
Liu, X., J. Wang, L.-M. Gan and S.-C. Ng, Improving the magnetic properties of hydrothermally synthesized barium ferrite 452

Lock, E.H., see Bespyatykh, Yu.I. 555
Loloee, R., see Reilly, A.C. L269
Lord, D.G., see Zhao, X.G. 699
Lu, B., M.Q. Huang, Q. Chen, B.M. Ma and D.E. Laughlin, Microstructure and magnetic domain structure of boron-enriched $Nd_2(FeCo)_{14}B$ melt-spun ribbons 611
Lubitz, P., see Rubinstein, M. 299

Ma, B., see Chen, Z. 420
Ma, B.M., see Lu, B. 611
MacManus-Driscoll, J., see Akther Hossain, A.K.M. 31
Machizaud, F., see Crisan, O. 428
Mahmood, S., see Said, M.R. 679
Mahmoud, Y.D., Nonlinear Rayleigh–Taylor instability of two fluids with cylindrical interfaces: effect of a periodic radial magnetic field 779
Maignan, A., see Crisan, O. 428
Mandal, K., see Krause, T.W. 193
Manzini, I., see Nagamine, L.C.C.M. 437
Mao, S.-Y., H. Schmid, G. Triscone and J. Muller, Spontaneous magnetization and magnetic susceptibility of a ferroelectric/ferromagnetic/ferroelastic single domain crystal of nickel bromine boracite $Ni_3B_7O_{13}Br$ 65
Marathe, V.R., see Chinchure, A.D. 43
Markosyan, A.S., see Dubenko, I.S. 687
Matsuda, Y., see Ishida, I. 307
Mazen, S.A. and A. Elfalaky, Thermoelectric power and electrical conductivity of Cu–Ti ferrite 148
McCormick, P.G., see Liu, W. L279
Melkebeek, J.A.A., see Dupré, L.R. 233
Mendoza, W.A. and S.A. Shaheen, Magnetic properties of as-grown $R_3(Fe,Ti)_{29}$ crystals (R = Ce, Pr, Nd) 136
Merlo, F., see Canepa, F. 646
Mevel, B., see Nagamine, L.C.C.M. 437
Milivojević, D., see Babić Stojić, B. 76
Mishra, B., see Tripathi, G.S. 745
Misra, P.K., see Tripathi, G.S. 745
Monzon, F.G., D.S. Patterson and M.L. Roukes, Characterization of individual nanomagnets by the local Hall effect 19
Morenza, J.L., see Tejada, J. 476
Moskvin, A.S., A.S. Ovchinnikov and I.L. Avvakumov, Non-collinear phase of a singlet–triplet magnet 759
Moze, O., W. Kockelmann, J.P. Liu, F.R. de Boer and K.H.J. Buschow, Structure and preferred site occupation of N in the compound $LaFe_{11}Al_2$ after nitrogenation 391
Muller, J., see Mao, S.-Y. 65
Muraoka, Y., K. Oda and T. Idogaki, Ground state phase diagrams of $S = 1$ ANNNI model with the single-ion anisotropy 156

Nabiałek, A., see Borowiec, M.T. 119
Nagamine, L.C.C.M., B. Mevel, B. Dieny, B. Rodmacq, J.R. Regnard, C. Revenant-Brizard and I. Manzini, Magnetic properties and magnetoresistance of as-deposited and annealed Co_xAg_{1-x} and Ni_xAg_{1-x} ($x = 0.2, 0.37$) heterogeneous alloys 437
Nagaoka, T., see Ishida, I. 307
Nagarajan, R., see Chinchure, A.D. 43
Nagata, Y., see Samata, H. 376
Nekrasova, M.Yu., see Bartashevich, M.I. 125
Neto Julio, M., see Abreu Hamilton, F.G. 107
Neumann, K.-U., see Szymański, K. 651
Ng, S.-C., see Liu, X. 452
Nikitin, S.A., E.A. Ovtchenkov, I.S. Tereshina, A.A. Salamova and V.N. Verbetsky, Magnetocrystalline anisotropy and magnetostriction of H and N modified R_2Fe_{17} compounds (R = Y, Tb, Dy, Ho, Er) 464
Nikitov, S.A., see Bespyatykh, Yu.I. 555
Nishihara, S., see Ishida, I. 307
Nordblad, P., see Granberg, P. 1

Oda, K., see Muraoka, Y. 156
Ouaglal, B., see Reilly, A.C. L269
Ouladdiaf, B., see Reehuis, M. 657
Ovchinnikov, A.S., see Moskvin, A.S. 759
Ovchinnikov, S.G., see Burkova, L.V. 531
Ovtchenkov, E.A., see Nikitin, S.A. 464

Panda, R.N. and N.S. Gajbhiye, Mössbauer and magnetic studies of nanocrystalline γ'-$Fe_{4-x}Ni_xN$ ($0.2 \leqslant x \leqslant 0.8$) compounds 396
Pani, M., see Canepa, F. 646
Papusoi Jr., C., The particle interaction effects in the field-cooled and zero-field-cooled magnetization processes 708
Park, W., see Reilly, A.C. L269
Patterson, D.S., see Monzon, F.G. 19
Pavlyuk, A., see Borowiec, M.T. 119
Pelzl, J., see Kong, Y. 483
Penton, A., see Estévez-Rams, E. 595
Perzyriska, K., see Szymański, K. 651
Poppi, M., see Bordin, G. 583
Pratt Jr., W.P., see Reilly, A.C. L269

Rane, M.V., D. Bahadur, S.D. Kulkarni and S.K. Date, Magnetic properties of NiZr substituted barium ferrite L256
Reehuis, M., M. Gerdes, W. Jeitschko, B. Ouladdiaf and N. Stüsser, Crystal and magnetic structures of the ternary carbides $Ho_2Mo_2C_3$ and $Er_2Mo_2C_3$ 657
Regnard, J.R., see Nagamine, L.C.C.M. 437
Reilly, A.C., W. Park, R. Slater, B. Ouaglal, R. Loloee, W.P. Pratt Jr. and J. Bass, Perpendicular giant magnetoresistance of $Co_{91}Fe_9$/Cu exchange-biased spin-valves: further evidence for a unified picture L269
Revenant-Brizard, C., see Nagamine, L.C.C.M. 437
Rodmacq, B., see Nagamine, L.C.C.M. 437
Roukes, M.L., see Monzon, F.G. 19
Rubinstein, M., P. Lubitz and S.-F. Cheng, Ferromagnetic-resonance field shift in an exchange-biased CoO/$Ni_{80}Fe_{20}$ bilayer 299

Saber, M., see Bouziane, T. 220
Safonov, V.L., Micromagnetic grain as a nonlinear oscillator 523
Said, M.R., Y.A. Hamam, I. Abu-Aljarayesh and S. Mahmood, Critical exponents of $(Fe,Mn)_3Si$ 679
Salamova, A.A., see Nikitin, S.A. 464
Samata, H., N. Fujiwara, Y. Nagata, T. Uchida andM.D. Lan, Magnetic anisotropy and magnetostriction of $SmFe_2$ crystal 376
Sánchez, M.L., P.T. Squire and D. Atkinson, ΔE effect in amorphous microwires and fibres 362
Sangregorio, C., see Fominaya, F. L253
Sardin, G., see Tejada, J. 476
Sato Turtelli, R., see Estévez-Rams, E. 595
Sato, T., M. Furusaka and M. Takeda, Magnetization process of itinerant-electron-type helical-spin-glass reentrant magnet $Cr_{0.81}Mn_{0.19}Ge$ observed on various spatial scales 345
Satuła, D., see Szymański, K. 651
Sbiaa, R., H. Le Gall and S. Yurchenko, Magnetic reorientation for high-density magneto-optical recording 520
Schmid, H., see Mao, S.-Y. 65
Schmool, D.S., N. Keller, M. Guyot, R. Krishnan and M. Tessier, Evidence of very high coercive fields in orthoferrite phases of PLD grown thin films 291
Seredkin, V.A., see Burkova, L.V. 531
Sessoli, R., see Fominaya, F. L253
Shaheen, S.A., see Mendoza, W.A. 136
Shaikh, A.M., S.S. Bellad and B.K. Chougule, Temperature and frequency-dependent dielectric properties of Zn substituted Li–Mg ferrites 384
Shen, B.G., see Gu, B.X. 605
Shi, J.-F., see Fuquan, B. 26
Shih, J.C., see Fang, J.S. 588
Shiiki, K., see Kai, T. 537
Shlyk, L. and J. Stepien-Damm, Spin glass behavior in $U(Ga_{0.72}Cu_{0.28})_2$ single crystals 37
Shoji, K., see Konno, T.J. 9
Shukla, S.J., K.M. Jadhav and G.K. Bichile, Influence of Mg^{2+} substitution on magnetic properties of Co–Fe–Cr–O spinel ferrite system 692
Silva Manuel, R., see Abreu Hamilton, F.G. 107
Slater, R., see Reilly, A.C. L269
Ślebarski, A., see Jezierski, A. 460
Slonczewski, J.C., Excitation of spin waves by an electric current L261
Šoškić, Z., see Babić Stojić, B. 76
Squire, P.T., see Sánchez, M.L. 362
Stampe, P.A., see Kennedy, R.J. 284
Steiner, M., see Bhattacharjee, A. 336
Stepien-Damm, J., see Shlyk, L. 37
Stojić, M., see Babić Stojić, B. 76
Stüsser, N., see Reehuis, M. 657
Sumiyama, K., see Konno, T.J. 9
Suzuki, K., see Konno, T.J. 9
Szewczyk, A., see Borowiec, M.T. 119
Szymański, K., M. Biernacka, L. Dobrzyński, K.-U. Neumann, K. Perzyriska, D. Satuła, P. Zaleski and K.R.A. Ziebeck, $Pd_2TiAl:{}^{57}Fe$ investigated by monochromatic, circularly polarized Mössbauer source 651
Szymczak, H., see Borowiec, M.T. 119

Takeda, M., see Sato, T. 345
Takeya, H. and M. Kuznietz, Magnetic properties of the $(Pr,Dy)Ni_2B_2C$ solid solutions 366
Tang, N., see Fuquan, B. 26
Teillet, J., see Crisan, O. 428
Tejada, J., J.M. Hernandez, M. Duran, E. Krotenko, J.L. Morenza, G. Sardin and E.M. Chudnovsky, The effect of hydrogen on the magnetic properties of the Nd–Fe–B–H compound 476
Téllez-Blanco, J.C., see Estévez-Rams, E. 595
Teodósio Joel, R., see Abreu Hamilton, F.G. 107
Tereshina, I.S., see Nikitin, S.A. 464
Tessier, M., see Schmool, D.S. 291
Tickle, R. and R.D. James, Magnetic and magnetomechanical properties of Ni_2MnGa 627
Tribuzy, C.V.B., A. Biondo, C. Larica, K.M.B. Alves and A.P. Guimarães, NMR measurements in milled $GdCo_2$ and $GdFe_2$ intermetallic compounds 49
Tripathi, G.S., R.L. Hota, B. Mishra and P.K. Misra, Electron–phonon interaction and field-induced metamagnetism 745
Triscone, G., see Mao, S.-Y. 65
Tsai, C.S., see Wu, B.-j. 206
Tsuchiya, K., see Ishida, I. 307
Tucker, J.W., The ferrimagnetic mixed spin $\frac{1}{2}$ and spin 1 Ising system 733

Ubizskii, S.B., Orientational states of magnetization in epitaxial (1 1 1)-oriented iron garnet films 575
Uchida, T., see Samata, H. 376

Valor-Reed, A., see Estévez-Rams, E. 595
Vanacken, J., see Lagutin, A.S. 97
Verbetsky, V.N., see Nikitin, S.A. 464
Von Rauch, M., see Dupré, L.R. 233

Wan, W.-L. and X.-Z. Wang, Magnetostatic modes of antiferromagnet in a magnetic field normal to the surface 508
Wang, J., see Liu, X. 452
Wang, J.-L., see Fuquan, B. 26
Wang, X.-Z., see Wan, W.-L. 508
Wasilewski, W., see Bespyatykh, Yu.I. 555
Watanabe, H., see Ishida, I. 307
Watawe, S.C., see Bellad, S.S. 57
Wu, B.-j., G.-q. Liu and C.S. Tsai, Mode conversion of guided optical waves with magnetostatic waves under inclined bias field 206

Yakovchuk, V.Yu., see Burkova, L.V. 531
Yan, Q.J., see Zhong, W. 112
Yang, C.-P., see Fuquan, B. 26
Yang, F.-M., see Fuquan, B. 26
Yelsukov, E.P., G.N. Konygin, A.V. Zagainov and V.A. Barinov, Magnetic properties of amorphous $Fe_{78}P_{22}$ alloy obtained by mechanical grinding 601
You, C.-Y. and S.D. Bader, Prediction of switching/rotation of the magnetization direction with applied voltage in a controllable interlayer exchange coupled system 488
Yu, M.-h. and Z.-d. Zhang, Spin configurations in the absence of an external magnetic field in a magnetic bilayer with in-plane cubic or uniaxial anisotropies 514
Yu, M.-h., Z.-d. Zhang and T. Zhao, Spin configurations and magnetization reversal processes in ultrathin cubic ferromagnetic films with in-plane uniaxial anisotropy 327
Yung, S.W., see Fang, J.S. 588
Yurchenko, S., see Sbiaa, R. 520
Zagainov, A.V., see Yelsukov, E.P. 601
Załęski, M., see Borowiec, M.T. 119
Zaleski, P., see Szymański, K. 651
Zhai, H.R., see Gu, B.X. 605
Zhang, D.H., see Gao, R.W. 168
Zhang, N., see Zhong, W. 112
Zhang, Y., see Chen, Z. 420
Zhang, Z.-d., see Yu, M.-h. 327
Zhang, Z.-d., see Yu, M.-h. 514
Zhao, B., see Li, J. 470
Zhao, T., see Yu, M.-h. 327
Zhao, X.G. and D.G. Lord, Effect of demagnetization fields on the magnetization processes in Terfenol-D 699
Zhong, W., W. Chen, W.P. Ding, N. Zhang, A. Hu, Y.W. Du and Q.J. Yan, Synthesis, structure and magnetic entropy change of polycrystalline $La_{1-x}K_xMnO_{3+\delta}$ 112
Ziebeck, K.R.A., see Szymański, K. 651
Zubov, E., see Borowiec, M.T. 119

ELSEVIER

Journal of Magnetism and Magnetic Materials 195 (1999) 801–803

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 195

AC susceptibility 692
AC-initial susceptibility 588
Activation energies 667
Alloys 470, 545, 588
– amorphous 601
Amorphization 49
Amorphous alloys 583, 605
Amorphous metallic microwires 362
Anisotropic behaviour 1
Anisotropy 699
Anisotropy constants 754
Anisotropy field distribution 754
Antiferromagnetism 391
Antiferromagnets 366, 508
Arc discharge 470
Atomic-sphere approximation L275

Band calculation 537
Barium ferrite L256, 452
Bias voltage 488
Bilayers 299

Carrier concentration 667
Chemical routes L256
Cluster variational method 733
Co substitution 26
Cobalt free magnets 107
Cobalt–carbon system 9
Coercivity 284, 420, 595
Coercivity mechanism 620
Colossal magnetoresistance 31
Comparison 168
Compensation point 733
Contact L261
Controllable interlayer exchange coupling 488
Copper oxides 759
Coupling energy 514
CPP-magnetoresistance L269
Critical behavior 220
Critical exponents 679
Crystal field 76
Crystal field effects 43
Crystal structure 639, 646, 657
Crystallographic texture 233
Cubic-to-tetragonal transformation 627
Current L261
Cylindrical interface 779

DC electrical conductivity 667
Demagnetization curves 620
Demagnetization effect 699
Dielectric losses 384
Dielectric properties 384
Diluted magnetic semiconductors 76
Disordered structure 336
Domain structure 575
Domain wall pinning 327
Doping 531
Dynamic Preisach model 233

Easy axis 174, 193
Easy magnetization directions 26, 575
Effective paramagnetic moment 605
Electric resistance 307
Electrical conductivity 148
Electrical resistivity 384, 646
Electrolysis 476
Electronic structure 460, 531
Electron–phonon interaction 745
Exchange 76
Exchange and dipole energy 119
Exchange bias 299
Exchange biased field 307
Exchange coupling 501, 520, 588
Exchange interaction 43, 93
Excitation L261
Extended ANNNI model 156

FC process 708
Fe_2SiS_4 81
Ferrimagnet 733
Ferrimagnetism 336
Ferrimagnets 97, 125
Ferrites 384, 692
– mixed 148
– spinels 608
Ferroelasticity 65
Ferroelectricity 65
Ferrofluids 212
Ferromagnetic iron 406
Ferromagnetic layers 514
Ferromagnetic resonance 299
Ferromagnetic shape memory 627
Ferromagnetism 65, 220, 391, 396, 679
Field frequency 779
Field shift 299
Field-linear sample response domain 708
Film L261
Fine particles 396
f–d exchange parameters 125
Frustrated structure 608
Fundamental spin arrangement method 156

Giant magneto-impedance 764
Giant magnetoresistance L269, 537
Giant magnetostriction 545
Giant magnetostrictive materials 627
Grain alignment 168
Grain boundaries 31, 57
Grain size 31, 233
Granular alloys 428
Ground state 156
Guided optical wave 206

Heat capacity L253
Heavy-fermion system 745
Helical spin structure 345
Helimagnets 182
Heterogeneous alloys 437
Heusler alloys 651
Hexaferrite L256
High spin state 307
Hydrides 464
Hydrodynamic instabilities 212
Hydrogenation 476
Hydrothermal processing 452
Hyperfine interactions 406
Hysteresis 233

0304-8853/99/$ - see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(99)00417-5

Impurities 651
Impurity magnetism 406
In-plane uniaxial anisotropy 327
Initial permeability 57
Interaction field distribution 708
Interface roughness 537
Interfaces 220
Interfacial roughness 307
Intermetallic compounds 49
Internal spin fluctuation 501
Interstitial atom 483
Interstitial magnets L275
Intrinsic coercivity 452
Iron garnet films 575
Ising ordering 97
Ising superlattice 220
Isomer shifts L275
Itinerant electron magnet 345
Itinerant magnetism 745

Kerr effect 639
Kerr effect enhancement 531
Kerr rotation angle 531
Kerr spectrum 531

Laser ablation 284
Lattice relaxation 141
Layers
– Superconducting phase transitions 555
LHE devices 19
Linear-muffin-tin-orbitals method L275
LMTO 460, 483
Local electronic structure 406
Local Hall effect 19
Low-temperature magnetic properties 605

Magnet L261
Magnetic anisotropy 26, 376, 575
Magnetic Barkhausen effect 193
Magnetic domain 611
Magnetic entropy change 112
Magnetic exciton 141
Magnetic film 206
Magnetic grain 523
Magnetic granular films 9
Magnetic instability 687
Magnetic materials 57, 107, 384
Magnetic molecule L253
Magnetic multilayers L269
Magnetic nanoparticles L279
Magnetic order 687
Magnetic ordering 43
Magnetic permeability 667
Magnetic phase diagrams 125
Magnetic phase transitions 97
Magnetic phases 575
Magnetic properties L256, 601, 611, 646, 657
Magnetic recording L256
Magnetic structures 81, 119, 657
Magnetic super-resolution 520
Magnetic susceptibility 76
Magnetic vortices 182
Magnetic-phase boundaries 366
Magnetization 65, 93, 119, 174, 336, 692
Magnetization direction 488
Magnetization process 345, 520, 699
Magnetization reversal process 327
Magneto-optic effect 206
Magneto-optical properties 639
Magneto-optical recording 520
Magnetocrystalline anisotropy 464
Magnetoelastic properties 362
Magnetomechanical properties 627
Magnetoresistance 1, 93, 428, 437
Magnetoresistivity 646
Magnetostatic forward volume wave 206
Magnetostatic modes 508
Magnetostriction 174, 376, 464, 608, 699
Magnets 620
Master equation 708
Mechanical grinding 601
Mechanical milling L279
Mechanochemical process L279
Melt spinning 420, 611
Melt spun ribbons 428
Metamagnetic transitions 125
Metamagnetism 745
Mica 284
Microstructure 57, 420, 595, 611
Milling 49
Mixed spins 733
Mode conversion 206
MOKE 639
Molecular material 336
Molybdenum in magnets 107
Mössbauer effect L275
Mössbauer measurements 651
Mössbauer 692
Mössbauer spectroscopy 81
Multilayers L261, 307, 537
– nanocrystalline 545

Nano-granular morphology 9
Nanocomposite magnet 420
Nanocrystalline 396
Nanocrystallization 583
Nanomagnets 19
NdFeB magnet 168
Néel's two sublattice method 692
Neutron diffraction 391, 657
Neutron powder diffraction 81
Neutron scattering 345
Nitrides 396, 464
NMR 49
Nonlinear oscillator 523
Nonlinear phenomena 212
Nuclear relaxation 406

Olivine structure type 81
Optical red shift 141
Orthoferrites 291
Oxalate ligand 336
Oxygen vacancies 31

Palladium coating 476
Paramagnetism 679
Partially disordered phase 156
Particles 470
Periodic magnetic field 779
Permanent magnets 476, 595
Perovskite oxides 112
Perpendicular field 508
Perturbation theory 212
Phase diagrams 501
Phase transition 679
Photoluminescence 141
Polycrystalline 174
Precursor 396
Pressure effect 687
Pulsed laser deposition 291

Quantum well 488
Quaternary borocarbides 366
Quaternary intermetallic compounds 43

Rare earth compounds 464, 657, 741
Rare earth ion compounds 391
Rare-earth tungstates 119
Rayleigh–Taylor instability 779
Reaction anisotropy 708
Reentrant spin-glass 345
Reversal 523
Rosensweig-instability 212

Saturation magnetization 452
Saturation moment 26
Scanning Electron Microscopy 57
Schrödinger equation 779
Self-flux method 376
Silicon iron alloys 233
Single crystal 37, 376
Single crystalline films 1
Single-ion anisotropy 156
Singlet–triplet magnet 759
Sm_2Co_{17} alloy L279
$SmFe_2$ 376
Soft magnetic materials 764
Sol–gel synthesis 112
Spin configurations 327, 514

Spin flopping transition 307
Spin fluctuations 745
Spin glass 37
Spin reorientation 26, 741
Spin reorientation angle 741
Spin valve L269
Spin wave L261
Spin-dependent scattering 537
Spin–orbit effects 76
Sputter-deposition 9
SQUID magnetometry 291
Stability 182
Stress effects 174
Structural refinement 428
Structure 112, 391, 470
Substitution effect 420
Superconductivity 366
Superparamagnetism 708
Susceptibility 605
'tan θ type' Gaussian function 168
Temperature dependence of intrinsic coercivity 620
Tensor 174
Ternary nitrides 391
Texture functions 168
Thermal fluctuations 523
Thermal treatment 452
Thermoelectric power 148, 667
Thin films 284, 291, 531, 545
– ferromagnetic 555
Transition temperature 31
Transmission electron microscopy 9
Transport properties 37
Trapped magnetic polaron 141
Tricritical point 733
Tunneling 488
Tunneling of magnetization L253
Twin boundary 699
Two-level model 708
Two-spin-per-site Heisenberg model 501

Ultra-high magnetic fields 125
Ultrathin films 327
Uniaxial anisotropies 501, 514
Uniaxial magnetocrystalline anisotropy 627
Uranium compound 37

Vedyayev theory 437

XPS 460

Young's modulus 362

ZFC process 708